

12.00 MM THICKNESS
.....

LOUVERS



PRECISION PERFORMANCE. DELIVERED !

LAMINATES | PLYWOOD | HARDWARES

MANUFACTURING PROCESS



- Refining raw wood fibers for quality.
- Gluing, pressing and calibrating into uniform panels.
- Routing wooden panels into desired designs.
- Applying textured PVC finishes on top layer.

SPECIFICATIONS

HEIGHT : 2750 MM (9ft)

WIDTH : 122-137-150-170 MM

THICKNESS : 12-13-15 MM



INSTALLATION

- Panel the wall with either aluminum channels or plywood as the base.
- Fixing the panel: Drill screws on the lower side of the first panel at intermittent distances.
- Overlap the upper side of the second panel on the first panel.
- Again drill the screws on the lower side of the second panel.
- As we repeat the process, screws are hidden and we achieve perfectly consistent panelling.



HOTEL



MALL



HOME



HOSPITAL



OFFICE

I N D E X

01

301

14

371

27

384

40

5002

02

302

15

372

28

385

41

7001

03

303

16

373

29

386

42

7002

04

311

17

374

30

387

43

7003

05

312

18

375

31

388

44

7004

06

313

19

376

32

389

45

7005

07

314

20

377

33

390

46

7006

08

315

21

378

34

393

47

7010

09

316

22

379

35

394

48

7011

10

317

23

380

36

395

49

7012

11

318

24

381

37

401

50

7013

12

351

25

382

38

402

51

7014

13

352

26

383

39

5001


52

7015



TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

301




HEIGHT : 2750 MM (9ft) • WIDTH : 125 MM • THICKNESS : 12 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES



302


HEIGHT : 2750 MM (9ft) • WIDTH : 125 MM • THICKNESS : 12 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

303




HEIGHT : 2750 MM (9ft) • WIDTH : 125 MM • THICKNESS : 12 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES



311


HEIGHT : 2750 MM (9ft) • WIDTH : 125 MM • THICKNESS : 12 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

312



HEIGHT : 2750 MM (9ft) • WIDTH : 125 MM • THICKNESS : 12 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES



313


HEIGHT : 2750 MM (9ft) • WIDTH : 125 MM • THICKNESS : 12 MM






TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

314




HEIGHT : 2750 MM (9ft) • WIDTH : 125 MM • THICKNESS : 12 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

315




HEIGHT : 2750 MM (9ft) • WIDTH : 125 MM • THICKNESS : 12 MM






TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

316




HEIGHT : 2750 MM (9ft) • WIDTH : 125 MM • THICKNESS : 12 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES



317


HEIGHT : 2750 MM (9ft) • WIDTH : 125 MM • THICKNESS : 12 MM






TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

318




HEIGHT : 2750 MM (9ft) • WIDTH : 125 MM • THICKNESS : 12 MM






TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

351




HEIGHT : 2750 MM (9ft) • WIDTH : 125 MM • THICKNESS : 12 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

352




HEIGHT : 2750 MM (9ft) • WIDTH : 125 MM • THICKNESS : 12 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

371




HEIGHT : 2750 MM (9ft) • WIDTH : 122 MM • THICKNESS : 12 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

372




HEIGHT : 2750 MM (9ft) ▪ WIDTH : 122 MM ▪ THICKNESS : 12 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

373




HEIGHT : 2750 MM (9ft) • WIDTH : 122 MM • THICKNESS : 12 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

374




HEIGHT : 2750 MM (9ft) • WIDTH : 122 MM • THICKNESS : 12 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

375




HEIGHT : 2750 MM (9ft) • WIDTH : 122 MM • THICKNESS : 12 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

376




HEIGHT : 2750 MM (9ft) • WIDTH : 122 MM • THICKNESS : 12 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

377




HEIGHT : 2750 MM (9ft) • WIDTH : 122 MM • THICKNESS : 12 MM






TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

378




HEIGHT : 2750 MM (9ft) • WIDTH : 122 MM • THICKNESS : 12 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

379




HEIGHT : 2750 MM (9ft) • WIDTH : 122 MM • THICKNESS : 12 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

380




HEIGHT : 2750 MM (9ft) ▪ WIDTH : 122 MM ▪ THICKNESS : 12 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

381




HEIGHT : 2750 MM (9ft) • WIDTH : 122 MM • THICKNESS : 12 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

382




HEIGHT : 2750 MM (9ft) ▪ WIDTH : 122 MM ▪ THICKNESS : 12 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

383




HEIGHT : 2750 MM (9ft) • WIDTH : 122 MM • THICKNESS : 12 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

384




HEIGHT : 2750 MM (9ft) • WIDTH : 122 MM • THICKNESS : 12 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

385




HEIGHT : 2750 MM (9ft) • WIDTH : 122 MM • THICKNESS : 12 MM






TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

386




HEIGHT : 2750 MM (9ft) ▪ WIDTH : 122 MM ▪ THICKNESS : 12 MM






TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

387




HEIGHT : 2750 MM (9ft) ▪ WIDTH : 122 MM ▪ THICKNESS : 12 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

388




HEIGHT : 2750 MM (9ft) • WIDTH : 122 MM • THICKNESS : 12 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

389




HEIGHT : 2750 MM (9ft) • WIDTH : 122 MM • THICKNESS : 12 MM






TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

390




HEIGHT : 2750 MM (9ft) • WIDTH : 122 MM • THICKNESS : 12 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

393




HEIGHT : 2750 MM (9ft) ▪ WIDTH : 122 MM ▪ THICKNESS : 12 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

394




HEIGHT : 2750 MM (9ft) • WIDTH : 122 MM • THICKNESS : 12 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

395




HEIGHT : 2750 MM (9ft) • WIDTH : 122 MM • THICKNESS : 12 MM






TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

401




HEIGHT : 2750 MM (9ft) • WIDTH : 155 MM • THICKNESS : 12 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

402




HEIGHT : 2750 MM (9ft) • WIDTH : 155 MM • THICKNESS : 12 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

5001




HEIGHT : 2750 MM (9ft) • WIDTH : 137 MM • THICKNESS : 15 MM






TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

5002




HEIGHT : 2750 MM (9ft) • WIDTH : 137 MM • THICKNESS : 15 MM






TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES




7001

HEIGHT : 2750 MM (9ft) • WIDTH : 170 MM • THICKNESS : 13 MM






TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES




7002

HEIGHT : 2750 MM (9ft) • WIDTH : 170 MM • THICKNESS : 13 MM






TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES



7003


HEIGHT : 2750 MM (9ft) • WIDTH : 170 MM • THICKNESS : 13 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

7004




HEIGHT : 2750 MM (9ft) • WIDTH : 170 MM • THICKNESS : 13 MM






TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES




7005

HEIGHT : 2750 MM (9ft) • WIDTH : 170 MM • THICKNESS : 13 MM






TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES




7006

HEIGHT : 2750 MM (9ft) • WIDTH : 170 MM • THICKNESS : 13 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES




7010

HEIGHT : 2750 MM (9ft) • WIDTH : 165 MM • THICKNESS : 12 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES



7011


HEIGHT : 2750 MM (9ft) • WIDTH : 165 MM • THICKNESS : 12 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES

7012




HEIGHT : 2750 MM (9ft) • WIDTH : 165 MM • THICKNESS : 12 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES




7013

HEIGHT : 2750 MM (9ft) • WIDTH : 165 MM • THICKNESS : 12 MM






TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES




7014

HEIGHT : 2750 MM (9ft) • WIDTH : 165 MM • THICKNESS : 12 MM





TAJPURIA®
PRECISION PERFORMANCE. DELIVERED!
LAMINATES | PLYWOOD | HARDWARES



7015

HEIGHT : 2750 MM (9ft) • WIDTH : 165 MM • THICKNESS : 12 MM

